



**SOTON**<sup>TM</sup>  
Polycarbonate sheets



12 Vyrobycha str., Slobozhanske,  
Dnipro Region, Ukraine, 52005

[www.soton.com.ua](http://www.soton.com.ua)



# The only PC manufacturer in Ukraine

## In operations since 2003

### Manufacture products:

- multiwall polycarbonate sheets
- solid polycarbonate sheets


### Manufacture capacity

- ❖ Multiwall polycarbonate sheets

**6 000 tons/year**

- ❖ Solid polycarbonate sheets

**6 000 tons/year**



# Production processes are built on effective interaction with the client and compliance with the appropriate product quality

- Automated modern systems
  - Full production cycle
  - Best specialists in the industry
- High-quality materials  
Covesto (MAKROLON™)  
Sabic (LEXAN™)  
Trinseo (CALIBRE™)

QC both for raw materials and manufactured products




Two Multiwall Extrusion Machines OMIPA



Solid PC Line KUHNE K150EE/70E/45E (2003-140405-0340)



Laboratory checking for compliance with strength, UV protection and other quality indicators




We pay great attention to packaging to avoid damages during transportation



We always keep the required amount in stock to avoid delays in delivery



## TITAN MULTIWALL TYPES AND CHARACTERISTICS


Profile	Grade	Thickness mm	Weight kg/m <sup>2</sup>	Width mm	Ug - value W/m <sup>2</sup> K	Description	Colors
	3X/8	8	1,55	2100 / 1050	2,44	SOTON <sup>TM</sup> TITAN Multiwall	Colorless Bronze
	3X/10	10	1,7	2100 / 1050	2,27	SOTON <sup>TM</sup> TITAN Multiwall	
	3X/16	16	2,5	2100 / 1050	1,92	SOTON <sup>TM</sup> TITAN Multiwall	
	3X/20	20	3	2100 / 1050	-	SOTON <sup>TM</sup> TITAN Multiwall	





**OTON**<sup>TM</sup>  
Polycarbonate sheets


## NANO MULTIWALL TYPES AND CHARACTERISTICS

Profile	Grade	Thickness mm	Weight kg/m <sup>2</sup>	Width mm	Ug - value W/m <sup>2</sup> K	Description	Colors
	2H/4	4	0,67	2100 / 1050	4,36	SOTON <sup>TM</sup> NANO Multiwall	Colorless Bronze
	2H/6	6	0,93	2100 / 1050	3,88	SOTON <sup>TM</sup> NANO Multiwall	
	2H/8	8	1,1	2100 / 1050	3,56	SOTON <sup>TM</sup> NANO Multiwall	
	2H/10	10	1,24	2100 / 1050	3,42	SOTON <sup>TM</sup> NANO Multiwall	



**OTON**<sup>TM</sup>  
Polycarbonate sheets


## MULTIWALL TYPES AND CHARACTERISTICS

Profile	Grade	Thickness mm	Weight kg/m <sup>2</sup>	Width mm	Ug - value W/m <sup>2</sup> K	Description	Colors
	2H/4	4	0,8	2100 / 1050	4,36	SOTON <sup>TM</sup> Multiwall	Colorless Bronze
	2H/6	6	1,3	2100 / 1050	3,96	SOTON <sup>TM</sup> Multiwall	
	2H/8	8	1,5	2100 / 1050	2,63	SOTON <sup>TM</sup> Multiwall	
	2H/10	10	1,7	2100 / 1050	2,56	SOTON <sup>TM</sup> Multiwall	
	3H/16	16	2,5	2100 / 1050	-	SOTON <sup>TM</sup> Multiwall	




**OTON**<sup>TM</sup>  
Polycarbonate sheets

## MULTIWALL TYPES AND CHARACTERISTICS

Profile	Grade	Thickness mm	Weight kg/m <sup>2</sup>	Width mm	Ug - value W/m <sup>2</sup> K	Description	Colors
	6H/16	16	2,5	2100 / 1050	1,85	SOTON <sup>TM</sup> Multiwall	Colorless Bronze
	6H/20	20	3	2100 / 1050	1,47	SOTON <sup>TM</sup> Multiwall	

## SOLID TYPES AND CHARACTERISTICS

Profile	Thickness mm	Weight kg/m <sup>2</sup>	Width mm	Non-type Width, Thickness	Description	Colours	Standard
	2	2,4	2050 / 1025	Possible for full range, need to adjust	SOTON <sup>TM</sup> Solid	Colorless Bronz	EN 16240:2014
	3	3,6	2050 / 1025		SOTON <sup>TM</sup> Solid		
	4	4,8	2050 / 1025		SOTON <sup>TM</sup> Solid		
	5	6,0	2050 / 1025		SOTON <sup>TM</sup> Solid		
	6	7,2	2050 / 1025		SOTON <sup>TM</sup> Solid		
	8	9,6	2050 / 1025		SOTON <sup>TM</sup> Solid		
	10	12,0	2050 / 1025		SOTON <sup>TM</sup> Solid		
	12	14,4	2050 / 1025		SOTON <sup>TM</sup> Solid		



## **Kontakt:**

FTP Plastics, s. r. o.  
ČSA 730  
783 53 Velká Bystřice

**Jiří Hamata**  
**produktový manažer, stavebnictví**  
+420 606 062 975  
[obchodnik.kds@ftpplastics.cz](mailto:obchodnik.kds@ftpplastics.cz)

